

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: *SIPCAM C50 WG***kind of formulation:** *Water dispersible granule (WDG)***Article number:** *Not applicable***Registration number REACH:** *Not applicable.***UFI:** *2QKE-9HYG-N10E-XVTK*

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant use: *Agriculture.***Fungicide****Product category PC27:** *Plant protection products***Application of the substance / the mixture:** *Agricultural chemicals*

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:*SIPCAM OXON S.p.A.***Registered office:** *Via Carroccio, 8 - 20123 Milano, Italia***Management:** *Via Sempione, 195 - 20016 Pero (MI), Italia***Production site:** *Via Vittorio Veneto, 81 - 26857 Salerano s. Lambro (LO), Italia***Tel.:** *+39 0371 5961 (8:00 - 17:00 GMT+1)***Website:** *www.sipcam-oxon.com***E-mail:** *msds@sipcam.com*

1.4 Emergency telephone number:

Emergency phone: *+39 02 353781 (8.00-17.00 GMT+1)***For any questions regarding this MSDS please contact:***msds@sipcam.com***Refer to section 16 for Poison Centres.****For ROI only:** *In the event of an emergency, call the National Poisons Centre,**Beaumont Hospital at 01 809 2566 or 01 837 9964*

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008

**GHS08 health hazard****Repr. 2** **H361fd** *Suspected of damaging fertility. Suspected of damaging the unborn child.***STOT RE 2** **H373** *May cause damage to the thymus, the eyes and the blood through prolonged or repeated exposure.***GHS09 environment****Aquatic Acute 1** **H400** *Very toxic to aquatic life.***Aquatic Chronic 1** **H410** *Very toxic to aquatic life with long lasting effects.***GHS07****Acute Tox. 4** **H302** *Harmful if swallowed.***Skin Sens. 1** **H317** *May cause an allergic skin reaction.*

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

UL

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 1)

Hazard pictograms


GHS07 GHS08 GHS09

Signal word *Warning*
Hazard-determining components of labelling:
Cymoxanil
Maleic acid, potassium salt
Hazard statements
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to the thymus, the eyes and the blood through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P314 Get medical advice/attention if you feel unwell.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with national regulations.
P502 Refer to manufacturer or supplier for information on recovery or recycling.
Additional information:
SP1 Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
2.3 Other hazards *May form explosible dust-air mixture if dispersed.*
Results of PBT and vPvB assessment
PBT: *The mixture does not contain any PBT substances.*
vPvB: *The mixture does not contain any vPvB substances.*
Determination of endocrine-disrupting properties
The substance/mixture does not contain components considered to have endocrine disrupting properties in accordance with Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: *Mixture of the substances listed below with harmless additions:*
Dangerous components:

N° CAS	Designation	R-Phrases	%
CAS: 57966-95-7 EINECS: 261-043-0 Index number: 616-035-00-5	Cymoxanil ⚠ Repr. 2, H361fd; STOT RE 2, H373; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317 ATE: LD50 oral: 360 mg/kg		25-50%
CAS: 68425-94-5	Sulfonated aromatic polymer, sodium salt ⚠ Eye Irrit. 2, H319		≥2.5-<10%
CAS: 10237-70-4	Maleic acid, potassium salt ⚠ Acute Tox. 4, H302; Skin Sens. 1B, H317; STOT SE 3, H335		≥0.1-<1%

Additional information
Dust can combine with air to form an explosive mixture.
Factor M=1, unless otherwise stated.
For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact Instantly wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water, until symptoms disappear, and then with ophthalmic decongestant solution; seek medical attention. Take immediately to hospital, in case of severe injuries.

After swallowing

Instantly call for doctor.

Call a doctor immediately.

Rinse out mouth without swallowing, do not induce vomiting.

Information for doctor Patient needs medical supervision for 48 h.

4.2 Most important symptoms and effects, both acute and delayed

CYMOXANIL: urea derivative. During handling it may cause conjunctivitis, rhinitis, throat and skin irritation. Ingestion may cause gastroenteritis, nausea, vomiting, diarrhoea. Sub-icterus and hematuria were reported too.

4.3 Indication of any immediate medical attention and special treatment needed

Seek the advice of a Poison Control Centre

Treat symptomatically and supportively

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, extinguishing powder. Fight larger fires with water spray or alcohol-resistant foam. Do not use a direct stream of water to extinguish.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents

Avoid full water jet.

None.

5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

Wear full protective suit.

Wear protective clothing conforming to European Standard EN 469.

Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

Do not allow extinguishing media and spilled material to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Wear protective clothing.

6.1.1. For non-emergency personnel

wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing;

remove ignition sources, provide sufficient ventilation, control dust;

apply emergency procedures, evacuate the danger area or consult an expert.

6.1.2. For emergency responders

wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data

(Contd. on page 4)

UL

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 3)

sheet) to prevent any contamination of skin, eyes and personal clothing;

In case of dust provide inhalation protection

Wear protective clothing, boots and glasses

6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

Collect with suitable equipment and do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to Section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

Wear personal protective equipments (PPE).

The usual precautionary measures for handling chemicals shall be observed.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Handling

Avoid contact with the skin and vapour inhalation; do not eat, drink nor smoke while working.

Avoid direct or indirect contact with the product. Do not eat, drink or smoke while working.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Store in a cool and ventilated place, away from heat source and direct sunlight without open sewage system.

Keep out the reach of children, unauthorized persons and animals. Keep away from food, drink and animal feedingstuffs.

Requirements to be met by storerooms and containers: Store only in the original container.

Information about storage in one common storage facility:

Prevent storage with incompatible materials (see chapter 10).

Store away from foodstuffs.

Further information about storage conditions:

Store under dry conditions.

This product is hygroscopic.

Protect from humidity and keep away from water.

Store in cool, dry conditions in well sealed containers.

Storage class 11

7.3 Specific end use(s)

Agriculture

To be applied strictly for the uses described in the label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 57966-95-7 Cymoxanil

TWA (Gran Bretagna)	Short-term value: 5 mg/m ³
---------------------	---------------------------------------

DNELs No further information available.

PNECs No further information available.

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals shall be observed.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 4)

Store protective clothing separately.
 Avoid contact with the eyes and skin.
 Pregnant women must strictly avoid inhalation or contact with the skin.
 Do not eat, drink or smoke while working.

Breathing equipment:

For greenhouse application wear hood and mask (FFP2)
 In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.



Breathing protection recommended in accordance with the relevant European Standards.

Hand protection

Wear gloves during:
 - mixing/loading
 - during open field applications with tractor not cabed
 - during greenhouse application activities.
 Protective gloves (rubber or plastic).



Protective gloves against chemicals and micro-organisms in accordance with EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Rubber gloves
 Nitrile rubber, NBR

Eye/face protection


Tightly sealed safety glasses in accordance with EN 166.

Body protection:

Wear protective clothing during:
 - mixing / loading
 - during open field applications with a tractor with a cab and a tractor without cab
 - during greenhouse application activities.
 Protective work clothing.

Boots Safety footwear for professional use in accordance with EN 345.

Environmental exposure controls

Waste waters from equipment cleaning shall be disposed according to local and national regulation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
General Information

Physical state	Solid
Colour:	Light brown
Odour:	Characteristic
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Product is not inflammable. Method EU A.10
Lower and upper explosion limit	
Lower:	Not explosive Method EU A.14
Upper:	Not explosive Method EU A.14

(Contd. on page 6)

UL

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 5)

Flash point:	Not required. The product is not a liquid.
pH value (1% in distilled water)	5.65 (CIPAC MT 75.3)
pH (undiluted sample)	
Viscosity:	
Kinematic viscosity	Not applicable. The product is not liquid.
Solubility	
Water:	dispersible
Partition coefficient n-octanol/water (log value)	Not technically determinable
Vapour pressure:	Not applicable. The product is solid.
Density and/or relative density	
Density at 20 °C	0.7 g/cm ³ (CIPAC MT 186)
Particle characteristics	The products is a granule, minimum the dimension 250µm

9.2 Other information**Appearance:****Form:**

Granulate

Important information on protection of health and environment, and on safety.**Self-flammability:**

Product is not selfigniting.

Method EU A.16

Explosive properties:

Product is not explosive.

Method EU A.14

Change in condition**Softening point/range****Oxidising properties**

Not an oxidiser

Method EU A.17

Information with regard to physical hazard classes**Explosives**

The product is not explosive. Method EU A.14

Flammable gases

Not applicable. The product is solid.

Aerosols

Not applicable. The product is solid.

Oxidising gases

Not applicable. The product is solid.

Gases under pressure

Not applicable. The product is solid.

Flammable liquids

Not applicable. The product is solid.

Flammable solids

The product is not flammable. Method EU A.10

Self-reactive substances and mixtures

Not relevant due to the nature of the product, it doesn't not provide usefull informations

Pyrophoric liquids

Not appliclable. The product is solid

Pyrophoric solids

Product not self-flammable. Method EU A.16

Self-heating substances and mixtures

Not relevant due to the nature of the product, it doesn't not provide usefull informations

Substances and mixtures, which emit flammable gases in contact with water

Not relevant due to the nature of the product, it doesn't not provide usefull informations

Oxidising liquids

Not applicable. The product is solid.

Oxidising solids

The product is not considered to be an oxidising solid. Method EU A.17

Organic peroxides

Not relevant due to the nature of the product, it doesn't not provide usefull informations

Corrosive to metals

Not relevant due to the nature of the product, it doesn't not provide usefull informations

Desensitised explosives

Not relevant due to the nature of the product, it doesn't not provide usefull informations

SECTION 10: Stability and reactivity**10.1 Reactivity** The product is not reactive under recommended handling conditions.**10.2 Chemical stability** Stable under the recommended handling and storage conditions (see section 7).**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.**10.3 Possibility of hazardous reactions** Risk of dust explosion**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:**

Acids.

(Contd. on page 7)

UE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 6)

Bases

10.6 Hazardous decomposition products:

Thermal decomposition products may include:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

None in standard storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values that are relevant for classification:

Oral	LD50	1,200 mg/kg (rat) OECD 420
Dermal	LD50	>2,000 mg/kg (rat) EEC B3 - Test conducted on similar formulation
Inhalative	LC50 (4 h)	>3.31 mg/L (rat) (OECD 403) Test conducted on similar formulation

CAS: 57966-95-7 Cymoxanil

Oral	LD50	360 mg/kg (ATE) 360 mg/kg (rat) Harmonized ATE
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 (4 h)	>5.6 mg/L (rat)

CAS: 68425-94-5 Sulfonated aromatic polymer, sodium salt

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Skin corrosion / irritation - Test

Irritation of skin	Skin corrosion	(rabbit) (OECD 404) Not irritant - Test conducted on similar formulation
--------------------	----------------	---

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Serious eye damage / Irritation - Test

Irritation of eyes	Eye Irritation	(rabbit) (OECD 405) Not irritant - Test conducted on similar formulation
--------------------	----------------	---

CAS: 68425-94-5 Sulfonated aromatic polymer, sodium salt

Irritation of eyes	Eye Irritation	Irritant
--------------------	----------------	----------

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to the thymus, the eyes and the blood through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information: For symptoms and effects see section 4.

Additional toxicological information: See section 4 for symptoms and effects

Acute effects (acute toxicity, irritation and corrosivity) No further information available.

CMR effects (cancerogenity, mutagenicity and toxicity for reproduction) No relevant information available.

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)

UL

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 7)

Aquatic toxicity:

EC50 (72h)	4.19 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (OECD 201) Test conducted on similar formulation
	>200 mg/L (<i>Daphnia magna</i>) (OECD 202) Test conducted on similar formulation
	120 mg/L (rainbow trout (<i>oncorhynchus mykiss</i>)) (OECD 203) Test conducted on similar formulation

CAS: 57966-95-7 Cymoxanil

LC50 (96h)	29 mg/L (bluegill sunfish (<i>Lepomis macrochirus</i>))
EC50 (48h)	27 mg/L (<i>Daphnia magna</i>)
ErC50 (72h)	0.254 mg/L (algae <i>anabaena flos-aquae</i>)
NOEC	0.044 mg/L (fish) (90 d)

CAS: 68425-94-5 Sulfonated aromatic polymer, sodium salt

EC50 (72h)	>100 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (OECD 201) Read-across
LC50 (96h)	>10-100 mg/L (<i>Danio rerio</i>) (OECD 203) Read-across
EC10 (72h)	>100 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (OECD 201) Read-across
EC10	>10-100 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (OECD 211) 21d

Environmental toxicity**CAS: 57966-95-7 Cymoxanil**

Oral	LD 50	>2,000 mg/kg bw (<i>Colinus virginianus</i>)
	EC 50	>1,000 mg/kg (earthworms, <i>Eisenia foetida</i>) (14 d)
	LD 50	>85.29 µg/bee (bee (<i>Apis mellifera</i>))
Dermal	LD 50	>100 µg/bee (bee (<i>Apis mellifera</i>))

12.2 Persistence and degradability**CAS: 68425-94-5 Sulfonated aromatic polymer, sodium salt**

Biodegradation	%
	Not readily biodegradable

12.3 Bioaccumulative potential**CAS: 57966-95-7 Cymoxanil**

Octanol / Water partition coefficient	0.67 (partition n-octanol/water)
---------------------------------------	----------------------------------

12.4 Mobility in soil No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** None of the ingredients meets the classification requirements.**vPvB:** None of the ingredients meets the classification requirements.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects** No further relevant information available.**Remark:** Very toxic for fish**DT 50 (active ingredient)****CAS: 57966-95-7 Cymoxanil**

DT 50	1.4 days (soil) Very low to low persistence
	0.3 days (water) Not persistent

Additional ecological information:**General notes:**

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Must be specially treated under adherence to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings: Dispose empty packagings according to current regulations.

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA

UN3077

14.2 UN proper shipping name

ADR/RID/ADN

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil)

IMDG


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil)


14.3 Transport hazard class(es)

ADR/RID/ADN


 Class
Label

 9 (M7) Miscellaneous dangerous substances and articles.
9

IMDG, IATA


 Class
Label

 9 Miscellaneous dangerous substances and articles.
9

14.4 Packing group

ADR/RID/ADN, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

 Yes
Symbol (fish and tree)

Special marking (ADR/RID/ADN):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Kehler Number:

Warning: Miscellaneous dangerous substances and articles.

EMS Number:

90

Stowage Category

F-A,S-F

Stowage Code

A

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

(Contd. on page 10)

Safety data sheet
 according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 9)

Transport/Additional information:**ADR/RID/ADN****Limited quantities (LQ)**

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Transport category

3

Tunnel restriction code

E

Remarks:

Transport in Limited Quantities only in suitable packaging.

ADR Special Provision 375 may apply for UN 3077 in packagings of 5 kg or less and for UN3082 in packagings of 5 L or less.

IMDG**Limited quantities (LQ)**

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Remarks:

IMDG Code 2.10.2.7 may apply for UN 3077 in packagings of 5 kg or less and for UN3082 in packagings of 5 L or less.

IATA**Remarks:**

For UN 3077 in packagings of 5 kg or less and UN3082 in packagings of 5 L or less, Special Provision A197 may apply according to IATA Dangerous Goods Regulation.

UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CYMOXANIL), 9, III

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

GHS System

REGULATIONS FOR HAZARDOUS CHEMICAL AGENTS, 2021

Regulation (EC) n. 1907/2006

Regulation (EC) n. 1272/2008

Regulation (EC) n. 790/2009 and (EU) no. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011

Regulation (EU) n. 618/2012

Regulation (EU) n. 487/2013

Regulation (EU) n. 944/2013

Regulation (EU) n. 605/2014

Regulation (EU) n. 2015/1221

Regulation (EU) n. 2016/918

Regulation (EU) n. 2016/1179

Regulation (EU) n. 2017/776

Regulation (EU) n. 2018/669

Regulation (EU) n. 2018/521

Regulation (EU) n. 2018/1480

Regulation (EU) n. 2020/217

Regulation (EU) n. 2020/1182

Regulation (EU) n. 1107/2009

Regulation (EU) n. 2021/643

Regulation (EU) n. 2021/849

Regulation (EU) n. 2022/692

Regulation (EU) n. 2023/1434

Regulation (EU) n. 2022/1435

Regulation (EU) n. 2024/197

Directive 2012/18/EU

Named dangerous substances - ANNEX I Not applicable

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

(Contd. on page 11)

UL

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

print: 16.12.2024

rev n°: 4 (replaces version 3)

Revision date: 16.12.2024

Trade name: SIPCAM C50 WG

(Contd. of page 10)

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations**Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.****15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.****SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact:

Product safety department

SIPCAM OXON msds@sipcam.com

For Poison Centres in Europe see: <https://poisoncentres.echa.europa.eu>**Date of previous version: 13.12.2022****Version number of previous version: 3****Abbreviations and acronyms:**

EC 50: Effective concentration, 50 percent

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Sources

Document elaborated on the basis of the data required by the EC Regulation 1107/2009 (plant protection products) and in accordance with the EC Regulation 878/2020.

*** Data compared to the previous version altered.**

13.12.2022